



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

82 PSU

CASE NO. 616 P

TYPE OF ACCIDENT MINIVAN/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 was pulling eastbound out of a parking lot drive to turn southbound on a 2-way, 2-lane residential street. The driver pulled up slightly over the crosswalk to see traffic from the left and waited for one southbound car. The driver lifted foot off brake and then saw the pedestrian walking in front of the vehicle in the crosswalk She reapplied her foot on the brake. The Pedestrian was pushed to her right into the witness and remained on her feet.

	B. PEDESTRIAN PROFILE										
Pedestrian	Pedestrian Treatment/ (TO BE COMPLETED BY ZONE CENTER)										
No.	Age Sex	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source				
01	22	Female	Treated at scene	Lower	Skin-Other	-	Hoodse				

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE										
Class		В	Most Severe Damage ased on Vehicle Inspection							
of Vehicle	Year/Make/Model	Damage Plane	Damage Description							
Minivan	93/Dodge/Caravan	Front	Minor - smears							
	Vehicle	Class of Year/Make/Model Vehicle	Class of Year/Make/Model Damage Vehicle Plane							

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration

SU No. 82 ase Number – Stratum 6 P	Indicate North
	•
Constantin 2	ora Fonol
Constitution	
>	
Reference	
⊕~ (a)	G.
Reference H.	: }
2	Withers 3
•	
Wall	
Parking Stalls	EZ
	VI begins at a S


Scale: 1 centimeter =

meters



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Pri	mary Sampling Unit Number 82			Cas	e Number-	Stratum 6 1 P		
	PEDESTRIAN ACCIDENT COLI	LISION DATA C	OLLECTIC	ON.		SCALED DIAGRAM		
٠	document reference point and reference line relative to physical features	Surface Type		Concrete	• nort	th arrow placed on diagram		
٠	documentation of all accident induced physical evidence including (if applicable):	Surface Condition	1	Wet		de measurements for all applicable dways		
	a) vehicle skid marks	Coefficient of Friction			incl	led representations of the physical plant uding: all road/roadway delineation (e.g.,		
. •	b) pedestrian contacts with ground or object	Grade (v/h) Meas	surement	0/0		crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)		
	c) vehicle/pedestrian point of impact (POI)	a) at impa		1199		all traffic controls (e.g., lights, signs)		
	d) location of pedestrian separation point from vehicle	b) between final res	n impact and it	122	pec	eled representations of the vehicle and destrian at pre-impact, impact, and final t based upon either:		
	f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	d Direction	North	а)	physical evidence, or reconstructed accident dynamics		
٠	documentation of the physical plant including:	Vehicle Travel Di	irection	too	b)			
	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	l Lanes					
	b) all traffic controls (e.g., lights, signs)					A		
R	eference Point: Light Pol	very	R	eference Line:	900 510	ent tage		
	Item			istance and Director		Distance and Direction from Reference Line		
┞								
\vdash								
		•						

01

ational Highway Traffic Safety dministration	PEDESTRIAN A	CIDENT FO	PEDESTRIAN CRASH	DATA STU
Primary Sampling Unit Number	. 82	SPECIAL	STUDIES - INDICATOR	RS
Case Number - Stratum	6 Q P	has been comp	special study (SS15-SS19 be leted; code 1 for the checke the special studies not checke	d special
IDENTIFICA ⁻	TION	Studies and 5 lor	and openial statistics that arrests	
3. Number of General Vehicle	0 1	6SS15 A	dministrative Use	_0_
Forms Submitted	<u> </u>	7. <u>/</u> SS16 P	edestrian Crash Data Study	_1
4. Date of Accident (Month, Day, Year)	9 4	8SS17 Ir	mpact Fires	· <u>0</u>
5. Time of Accident	1745	9SS18 _		0
Code reported military tim	e of accident.	10. SS19 _		
NOTE: Midnight = 2400	כ			
Unknown = 9999	9	Nl	JMBER OF EVENTS	
		11. Number of Re	ecorded Events	

PEDESTRIAN STUDY CRITERIA

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event General Vehicle Number General Sequence Vehicle Class Of Area of Or Class Of Area of Number Vehicle Damage Object Contacted Vehicle Damage									
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 13	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

2. Case Number - Stratum 6 10 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number 0 1	+ 10 pounds X .4536 = Kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown — inches X 2.54 = centimeters	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

Macional Module Campung 7	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
1 7	(01) At sides
13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(02) Folded across chest
15. Pedestrian's First Avoidance Actions	
(00) No avo dance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(0.1)	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
	bag, etc.) on shoulder(s) or head
	(98) Other (specify):
	(99) Unknown
(99) Unknown	(35) CHRIGHTI
	19. Pedestrian's Leg Orientation $\bigcap \mathcal{U}$
	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart-forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(35) Similarian
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
<u> </u>	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Special dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify): how hed in
	(17) Foot or legs run over (98) Other (specify): Another fell to (99) Unknown ped theorem fell to
	, i
	9,000

lational Accident Sampling System-Crashwor	thiness Data	a System: Pedestrian Assessment Form	Page 3
OFFICIAL RECORDS		INJURY CONSEQUENCES	
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	Q (25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	2
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	16	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	5
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	0	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	\bigcirc
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	Q	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	m 1)
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospit (61) 61 days or more (99) Unknown	1 60) al.
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	02

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported , HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE	OS INCLUDED WITH INITIAL SUBMISSION? YES [V] POOR NO [V] YES []

Administration

National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

3. Pedestrian Number 1. Primary Sampling Unit Number 4. Blank 2. Case Number - Stratum

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury			_	
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 7	6. <u>8</u>	7. <u>9</u>	8. <u>0</u> 4	9. 02	− 10. <u>/</u>	11.2	12. <u>703</u>	13	14. /_	15. 3	16	- _{17.} _
2nd	18	19	20	21	22	23	24	25	26	27	28	29	30:
3rd	31	32	33	34	35	36	37	38.	39.78	40.	41	42:	43
4th	44	45	46	47	48	_ 49	50	51.	52	53	54	55	56
5th	57	58	59	60	61	62	63	64.	65	66	67	68	69
6th	70	71	72	73	74	75. <u></u>	76	77.	78.	79	80	81	82
7th	83	84	85	86:	87	_ 88	89	90	91	92	93	94	95
8th	96	97	98	9 5	_100	101	102	103	104	105	106	_ 107	_ 108
9th	109	110	_ 111	112	_113	114	_ 115	11 6.	117	118	119	_ 120	_ 121
10th	122	. ^{123.} _	124	125	126	127	128	129	130.	131	132	_ 133	_ 134

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

				PEDES	TRIA	ILNI V	JRY DAT	А				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
Ith												<u> </u>
!th												
3th				<u></u>							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Ith		- 17 (17 (17 (17 (17 (17 (17 (17 (17 (17			. · · · · · · · · · · · · · · · · · · ·							
5th			•		12. 21 - 21.							
3th												
7th:					-							
8th			 _									
9th												
Oth								1				
21st	- :- 											
2nd		· .	· · · · · · · · · · · · · · · · · · ·		<u> </u>							
23rd					<u> </u>			· · · · · · · · · · · · · · · · · · ·				
24th												3

e de la company de la comp

(2) Probable (1) No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible medical records (3) Dent (9) Unknown (2) Hospital/medical records other than Large deformation (4) DIRECT/INDIRECT INJURY Cracked, fractured, shattered emergency room (e.g., discharge (1) Direct contact injury (2) Indirect contact injury Separated from vehicle summary) Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury Other specify: (8) associated X-rays or other lab reports) (7) Injured, unknown source Unknown (4) Private physician, walk-in or emergency STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL (1) No residual damage Flat-Wide (≥ 15 centimeters) (5) Lay coroner report Surface only damage Crush depth > 0 to 2 centimeters Rounded (contoured) (6) E.M.S. personnel (3) (4) (5) Rounded edge Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (7) Interviewee Sharp edge (8) Other source (specify): (5) Other (specify): Other specify: (9) Unknown (9) Police (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Specific Anatomic Structure **Body Region** Minor injury (1)Whole Area (02) Skin - Abrasion (04) Skin - Contusion (1) Head Moderate injury (2) (06) Lumbar Face (2) (3) (4) (5) Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury (06) Skin - Laceration (08) Skin - Avulsion (4) Thorax Critical injury (5) Abdomen Maximum (untreatable) (10) Amputation Spine Injured, unknown severity (7)**Upper Extremity** (20) Burn 171 Level of Injury (30) Crush (40) Degloving Lower Extremity (8) **Aspect** Unspecified assigned Injury - NFS Specific injuries are consecutive two-digit beginning with 02. Right numbers (1) Trauma, other than mechanical Type of Anatomic Structure (2) Left (3) Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area To the extent possible, within the Central Vessels organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (2)(5) (6) Anterior (3) Nerves Posterior (10) Concussion Organs (includes muscles/ (4) Superior ligaments) (8)Inferior Skeletal (includes joints) structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Head - LOC (6) Whole region **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) 800 Front crossmember 753 Right side folding mirror 708 Turn signal/parking lights 801 Steering assembly/Front suspension 754 Right side glazing forward of B pillar 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 803 Exhaust system pipe 756 Rear antenna 719 Unknown front object 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank Back Components 723 A2 pillar 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): **Accessories** 769 Unknown back component 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object

776 Front header

777 Roof surface

779 Rear header

780 Hatchback

781 Rear trunk lid

778 Backlight glazing

788 Other top component (specify): _

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain

SOURCE OF INJURY DATA

(specify):

741 Front antenna

742 A1 pillar

743 A2 pillar

Right Side Components

740 Front fender side surface

739 Unknown left side component

TYPE OF DAMAGE

(0) Injury not from vehicle contact

Other Object or Vehicle in Environment

949 Unknown object in environment

959 Unknown object on contacting vehicle


948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

947 Ground

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Page

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

Blood Alcohol Level (mg/di)

BAL =

Glasgow Coma Scale Score

GCSS =

Units of Blood Given


Units =


Arterial Blood Gases

Ph = __. PO₂ =

PCO₂


HCO₃






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







S. Department of Transportation attional Highway Traffic Safety	PEDESTRIAN GENER	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
dministration	\triangleright)	OFFICIAL RECORDS
1. Primary Sampling Unit Num	110	999,
2. Case Number - Stratum	<u>6 1 W P</u>	9. Police Reported Travel Speed
3. Vehicle Number	_0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENT	IFICATION	(999) Unknown
	00	mph X 1.6093 = kmph
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found	Q }	in kmph (999) Unknown 30 mph X 1.6093 = kmph
NASS PCDS Data Collectic Editing Manual. (99) Unknown	on, Coding and	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): Applicable codes are found	442	(7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection Editing Manual. (999) Unknown	on, Coding and	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes mathe back of this page.	ay be found on $\frac{20}{20}$	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Num	ber	Source:
2B46H2532	ρ <u>κ</u> 10 11 12 13 14 15 16 17	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present
Left justify; Slash zeros ar No VIN—Code all zeros Unknown—Code all nines		(1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen
·		(specify):(3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (< 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA				
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3269 15. Vehicle Curb Weight - O O - O - O - O - O - O - O - O - O	18. Impact Speed Start O U Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown				
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA				
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown				

otrona. House of the second of	
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	A Assessment Assessment Warness
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present (01) No avoidance actions
(14) End departure	1 1 1 1 1 1 1 1 1
(15) Turning left at intersection	(02) Braking (no lockup) (03) Braking (lockup)
(16) Turning right at intersection	(04) Braking (lockup unknown)
(17) Crossing over (passing through) intersection	(05) Releasing brakes
(19) Unknown travel direction	(06) Steering left
Other Motor Vehicle In Lane	(07) Steering right
(50) Stopped	(08) Braking and steering left
(51) Traveling in same direction with lower speed (i.e., lower steady speed or decelerating)	(09) Braking and steering right
(i.e., lower steady speed of decelerating) (52) Traveling in same direction with higher speed	(10) Accelerating
(52) Traveling in same direction with higher speed	(11) Accelerating and steering left
(53) Traveling in opposite direction	(12) Accelerating and steering right
(54) In crossover (55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	
in lane	· ·
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	t (2) Tracking (3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	and the stand Company of
direction	26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
(68) From crossing street, intended path not known	(0) No driver present
(70) From driveway, turning into same direction	(1) No avoidance maneuver
(71) From driveway, across path	in the second land where evoldence
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known (74) From entrance to limited access highway	(3) Vehicle staved on roadway but left travel lane
(74) From entrance to limited access highway (78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
	(4) Vehicle stayed on roadway, not known if left
unknown Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway (9) Directional consequences unknown
(02) i edestriari diministri issue:	1 191 Directional consoderness arms

<u> </u>			NME	ENTAL DATA
27. 29.	Relat (0) (1) Non-(2) (3) (4) (5) (6) (9) Traff (1) (2) (3) (4) (5) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (7) (9) Roa (1) (2) (3) (4) (5) (6) (6) (6) (7) (9) Roa (1) (6) (6) (7) (9) Roa (1) (6) (6) (7) (9) Roa (1) (6) (6) (7) (7) (9) Roa (1) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	ion to Junction Non-junction Interchange Intersection Intersection-related Drive, alley access related Other non-interchange (specify): Unknown type of non-interchange Unknown if interchange icway Flow Not physically divided (two way traffic) Divided trafficway - median strip withou positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown ber of Travel Lanes One Two Three Four Five Six Seven or more Unknown dway Alignment Straight Curve right Curve left Unknown dway Profile Level Uphill Grade (>2%) Downhill Grade (>2%) Hillcrest Sag Unknown dway Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone	4	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (2) Functioning (3) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):
	(5) (8) (9)	Other (specify): Unknown		

196 82-616 93 Dodg. Coron-22 XOF 51 YOF bruis / Ser-le Lot + o Jan + high f = 0,7POITO J=RP = N.7 m = 2.3 ++ RP time = 0,55.c. $2.3 = 0.5 U + \frac{U^2}{(2)(0.7)(32.2)}$ 0,022 × 2 0 8 1/ - 2,3 = 0 V= -05t 705)2-(4)(0.22)(-2.3) 0,044 = 3,9 fps = 2,7 mph = 4,29 Kph

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Vehicle Number

VEHICLE IDENTIFICATION

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm2

cm <

cm '

cm²

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm'

cm~

cm~

cm ~

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm/

cm ~


cm-

cm-

cm/

cm v


.....



tire bead, direction of strictions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT W	URK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMEN	rs
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	· cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cn
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cn
PEV34 Top of Side View Mirror	cn
LATERAL MEASUREMENT	s
PEV35 C _L to A-Pillar at Bottom of Windshield	cr
PEV36 C _L to A-Pillar at Top of Windshield	cr
PEV37 C _L to Maximum Side View Mirror Protrusion	cr
WRAP DISTANCES	,
PEV38 Ground to Side/Top Transition	cı
PEV39 Ground to Hood Edge	c
PEV40 Ground to Centerline of Hood (ORIGIN)	c
PEV41 Ground to Head Contact	С

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

ORIGINAL SPECIFICATIONS							
Maximum Average Front (Rear O	Length Wars Note Track Overhang verhang rmed End Width	inches cc	× 2.× 2.× .4× 2.× 2.× 2.	54 = 536 = 54 = 54 = 54 = 54	= <u>4</u> <u>5</u>	S cm cm cm cm cm	77.9 14.3 Vo
	Size: cyl./disp	·· 			-		a da
	3129 SLOSWOT	CID	x .()164	= -	—·— {	1
708 Turn signal/pai 718 Other front or (specify): 719 Unknown fron Left Side Compone 720 Front fender s 721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify):	lance/spoiler d/or trim t (fixed) t (spring loaded) adlight door (Open/Closed) rking lights add on object t object nts ide surface	744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component	-: 	790 791 792 793 798 799 Underc 800 801 802 803 804 805 806 807 808 809 818	s / tires Left front wheel / til Right front wheel / til Left rear wheel / til Left rear wheel / tire Cother components Cother converter Cother	tire s e specify): re	
735 Left side glaz	surface handle or fixed housing ng mirror ing forward of B pillar ing rearward of B pillar is fender or quarter panel e object side component nents side surface	769 Unknown back component Top Components 770 Hood surface 771 Hood surface reinforced by under hor component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid	o d	820 821 822 824 824 826 826 827 94	o Air scoop, deflecto Cellular or CB radio Emergency lights o Fog lights Luggage, ski, or bil Cargo (specify): Spare tire Spotlight Other accessory (s Object or Vehicle in Other object (specify) Unknown object or	e antenna or bar ke rack specify): Environment ify): n environment	cie


			on passivate la page motifica conscius	y ky y Maindersonia.	RIAN CONTA CT WORKSHI	and a few adestropes that its him is a re-		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
Μ	Bunken	1091	-10.	0	R/	Smore	1 2 3 9	3
4	,,	1091	-30	0	Ley	-1 -3MLX)	1/2 3 9	3
<i>b</i>	Bunker	1091	-401	9		many	1 2 3 9	
\mathcal{N}	77	109	-50	Q	L 19	Start odge.	1/2 3 8	1
	Mater Lice	107	-51.		<u> </u>	Publitoside	1 2 3 9	1 2
<u> </u>	GRILL	193	-30	δ		Shooned	1/5 3 8	4
	\ \	55.4	-18.	0	Han	Shimple 1977	1 2 3 9	14
*		84	-43°	<u>Q</u>		Smage v	1 2 3 9	13
<u>S_</u>	Hend ight	85~	~ 55	<u>Q</u>	Home	neut	1 2 3 9	
							1 2 3 9	
							1 2 3 9 1 2 3 9	
							i 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT **CHRONOLOGICAL ORDER OF CONTACTS** CONFIDENCE LEVEL OF LATERAL CRUSH LONGITUDINAL COMPONENT SUPPORTING PHYSICAL EVIDENCE CONTACT POINT SUSPECTED LOCATION LOCATION CONTACTED CONTACT (Circle) CENTIMETERS BODY REGION (Y) CODE $\bigcirc 2 3 9$ smu Le L. Hip 703 1 2 3 9 2 1 2 3 9 3 1 2 3 9 1 2 3 9 5 1 2 3 9 6 1 2 3 9 7 1 2 3 9 1 2 3 9 1 2 3 9 10 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 8 18 1 2 3 9 17 1 2 3 9 18 1 2 3 9 19 1 2 3 9 20 1 2 3 9 21 1 2 3 9 22 1 2 3 9 23 1 2 3 9 24 1 2 3 9 25

ational Adoldont Dumping Tystem Transcription	
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
~\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Code to the
4. Original Wheelbase	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(000)
12 5 NC 8	inches X 2.54 = centimeters
(999) Unknown (999) Unknown Continue X 2.54 = 5 centimeters 5. Original Average Track Width	
φ	12. Hood/Fender Vertical/Lateral Crush Fram
5. Original Average Track Width	Pedestrian
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999), Unknown	(3) Moderate crush (4-7 centimeters)
· \ _^	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
4-fx-	pedestrian impact
	(9) Unknown
6. Hood Material	(3) Olikilowii
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - flot damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	
10) 011111100011	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
	dikilowii ii ddiilagoa
(2) OEM replacement	
(2) OEM replacement (3) Non-OEM replacement	FRONT CONTACT DAMAGE
(2) OEM replacement	FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	FRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

20	Centerline of Wheel	Side Lateral Measurements
29.	Code to the	
	nearest centimeter	35. Centerline to A-Pillar
	(000) No side contact	at Bottom of Windshield
	(150) 150 centimeters or more (999) Unknown	(000) No side contact
	(333) Girkingwii	Code to the nearest centimeter
	inches X 2.54 = centimeter	ers (250) 250 centimeters or more
		(999) Unknown
044		
30.	Top of Tire Code to the	inches X 2.54 = centimeters
	nearest centimeter	
	(000) No side contact	36. Centerline to A-Pillar
	(200) 200 centimeters or more	at Top of Windshield
	(999) Unknown	Code to the
	inches X 2.54 = centimete	nearest centimeter
		(000) No side contact (250) 250 centimeters or more
	(ILA	(999) Unknown
31.	Top of Wheel Well Opening	<u>/ 2</u>
	Code to the nearest centimeter	inches X 2.54 = centimeter
	(000) No side contact	
	(250) 250 centimeters or more	37. Centerline to Maximum Side
	(999) Unknown	View Mirror Protrusion
	A 2000	Code to the
	inches X 2.54 = Centimete	nearest centimeter
32	Bottom of A-Pillar at Windshield	(000) No side contact
02.	Code to the	(300) 300 centimeters or more (999) Unknown
	nearest centimeter	
]	(000) No side contact	inches X 2.54 = centimeter
	(250) 250 centimeters or more (999) Unknown	
1	(555) Stratistics	Side Wrap Distance Measurements
	inches X 2.54 = centimete	ers
1	60	O on Survey to Side/Ten Transition
33	. Top of A-Pillar at Windshield	38. Ground to Side/Top Transition Code to the
33	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(400) 400 centimeters or more
	(300) 300 centimeters or more (999) Unknown	(999) Unknown
	(333) Ulkilowii	inches X 2.54 = centimeters
	inches X 2.54 = centimet	ters
		$\mathcal{O}(0)$
	Tax of Side View Mirror	39. Ground to Hood Edge
34	. Top of Side View Mirror Code to the	Code to the nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	inches X 2.54 = centimeters
	inches X 2.54 = centimen	eters

	ional Accident Sampling System Sta			
40	O. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown inches X 2.54 =	centimeters		
4	1. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown			
	inches X 2.54 =	centimeters		
			·	
-				



Smal

82616P00010012 969.041000000000113F72000

9.04 000000002221684308913706411083131306049809600250000201

1010000000001

82616P00010131 9.04 00000000078904021270311322

82616P01000041 9.04 0000000009307442202B4GH2520PR

41110916011141211120032

82616P01000051

9.04 000000002859993108414014314400310460590820808509017118

PEDESTRIAN ASSESSMENT Occupant: 1

INTRA ERRORS

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then

HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

O

PSU82 CASE 616E

CASE 616P

CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	O	0	0	Υ
Pedestrian Assessment	0	Ö	1	Ý
Pedestrian Injury	O	Ō	ō	Ý
Pedestrian General Vehicle	. 0	Ö	Õ	Ÿ
Pedestrian Exterior Vehicl	e O	O	ō	Ý
Total Inter Errors		o	o	
Total Case Errors	o	o	1	